



Certificate of Analysis

Compliance Test

Client Information:

THD
163 McKenzie Rd
MOORESVILLE, NC 28115
Order # THD250407-180001
Order Date: 2025-04-07
Sample # AAGO814

Batch # 040724
Batch Date: 2025-04-07
Extracted From: Hemp

Test Reg State: Florida

Sampling Date: 2025-04-10
Lab Batch Date: 2025-04-10
Completion Date: 2025-04-23

Initial Gross Weight: 8.883 g

Number of Units: 1
Net Weight per Unit: 1000.000 mg



Product Image

HHCP
HHCP Tested

HHC Summary

Total HHC
679mg 67.9%

(9R)-HHC
513.000mg 51.3%

(9S)-HHC
166.000mg 16.6%

HHCP

Specimen Weight: 101.440 mg

Dilution Factor: 10000.000

Tested
SOP13.050 (LCMS)

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.075	513.0000	51.3 CBC	2.760000E-5	0.075	<LOQ	<LOQ
(9S)-HHC	6.6000E-6	0.075	166.0000	16.6 Delta-8 THC methyl ether	2.480000E-4	0.075	<LOQ	<LOQ
(±)-9β-hydroxy-HHC	7.7800E-6	0.075	<LOQ	<LOQ Delta-9 THC	2.8000E-4	0.075	<LOQ	<LOQ
1(R)-H4-CBD	7.330000E-7	0.15	<LOQ	<LOQ Delta-9 THC methyl ether	1.600000E-4	0.075	<LOQ	<LOQ
1(S)-H4-CBD	6.630000E-7	0.15	<LOQ	<LOQ H2-CBD	1.440000E-7	0.075	<LOQ	<LOQ
9(R)-HHCP	3.0900E-5	0.075	<LOQ	<LOQ Total HHC	0.075	679.0000	67.9	
9(S)-HHCP	2.5500E-5	0.075	<LOQ	<LOQ				

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.