



Certificate of Analysis

R&D

Client Information:

The Hemp Doctor
510 River Highway
Suite 16
Mooresville, NC 28117

Batch # HDTL15-01
Batch Date: 2025-05-30
Extracted From: Isolate

Test Reg State: Oregon

Order # ALT250530-050001
Order Date: 2025-05-30
Sample # AAGT807

Sampling Date: 2025-06-03
Lab Batch Date: 2025-06-03
Completion Date: 2025-06-06

Initial Gross Weight: 77.723 g
Density: 1.008 g/ml
Volume: 30 ml



Product Image



**Potency
Tested**



Potency 10

Specimen Weight: 100.220 mg

Tested

SOP13.001 (LCUV)

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/ml)	(%)
CBD	5.40E-5	0.015	40.955	4.063
CBG	2.48E-4	0.015	7.822	0.776
CBN	1.40E-5	0.015	3.478	0.345
CBDV	6.50E-5	0.015	0.282	0.028
CBC	1.80E-5	0.015	0.171	0.017
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
Delta-9 THC	1.30E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			40.630	4.063
Total Active THC			<LOQ	<LOQ



Potency Summary

Total Active THC None Detected	Total Active CBD 4.063% 1228.651 mg
Total CBG 0.776% 234.662 mg	Total CBN 0.345% 104.328 mg
Total Cannabinoids 5.229% 1581.25 mg	


Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400. Failed - Analyte/microbe is at the level that equal or above the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400 Client supplied the net weight of mg The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.