



Certificate of Analysis

Compliance Test

Client Information:

THD
163 McKenzie Rd
MOORESVILLE, NC 28115
Order # THD250407-180001
Order Date: 2025-04-07
Sample # AAGO826

Batch # 040724
Batch Date: 2025-04-07
Extracted From: Hemp

Test Reg State: Florida

Sampling Date: 2025-04-10
Lab Batch Date: 2025-04-10
Completion Date: 2025-04-24

Initial Gross Weight: 41.046 g

Number of Units: 1
Net Weight per Unit: 576.667 mg



**Potency
Tested**

Product Image

Potency 10
Specimen Weight: 100.040 mg

Tested
SOP13.001 (LCUV)




Potency Summary

Total Active THC		Total Active CBD	
-	None Detected	6.968%	40.182 mg
Total CBG		Total CBN	
0.216%	1.246 mg	0.274%	1.580 mg
Total Cannabinoids			
7.492%	43.204 mg		

Pieces For Panel: 30

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
CBD	5.40E-5	0.015	69.680	6.968
CBN	1.40E-5	0.015	2.740	0.274
CBG	2.48E-4	0.015	2.160	0.216
CBDV	6.50E-5	0.015	0.340	0.034
CBC	1.80E-5	0.015	<LOQ	<LOQ
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
Delta-9 THC	1.30E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			69.680	6.968
Total Active THC			<LOQ	<LOQ


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.