

30mg D8 Gummy Rings

Sample ID: 2511AFL2054.7724
 Strain: Hemp
 Matrix: Ingestible
 Type: Soft Chew
 Unit Weight: 9.8485 g

Internal Lab ID: ATL-33680
 Received: 11/26/2025
 Completed: 01/05/2026
 Batch#: 251118

Client
The Hemp Doctor
 Lic. #
 123 North Orchard Street Ste 4A
 Ormond Beach, FL 32174



Summary

Test	Date Tested	Result
Batch	12/16/2025	Complete
Cannabinoids		Complete

Basic Potency - HPLC

Complete

ND				0.029%				0.205%			
Total THC				Total CBD				Total Cannabinoids			
Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result	Result	mg/unit
CBDVa	0.001	0.003	ND	ND	CBN	0.001	0.003	ND	ND	ND	ND
CBDV	0.001	0.003	ND	ND	Δ9-THC	0.001	0.003	ND	ND	ND	ND
CBDa	0.001	0.003	ND	ND	Δ8-THC	0.001	0.003	0.176	17.34		
CBGa	0.001	0.003	ND	ND	(6aR,9S)-d10-THC	0.001	0.004	ND	ND	ND	ND
CBG	0.001	0.003	ND	ND	(6aR,9R)-d10-THC	0.001	0.004	ND	ND	ND	ND
CBD	0.001	0.003	0.029	2.81	CBC	0.001	0.003	ND	ND	ND	ND
THCV	0.001	0.003	ND	ND	CBCa	0.001	0.003	ND	ND	ND	ND
Δ8-THCV	0.001	0.004	ND	ND	THCa	0.001	0.003	ND	ND	ND	ND
THCVa	0.001	0.003	ND	ND	Total			0.205	20.15		

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 12/16/2025

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT Not Tested Document ID: Moisture Content	NT Not Tested Document ID: Water Activity	Not Tested Document ID: Foreign Matter
--	--	--



Accreditation #118038

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Lise Berthe-Laurent
Laboratory Director
01/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com

