



Delta9 THC **0.27%**    THCa **ND**    Total THC (THCa \* 0.877 + THC) **0.27%**    Delta8 THC **<LOQ**

Sample ID SD251027-099 (126177)										Matrix		Edible			
Tested for Blue Mist LLC															
Sampled -		Received Oct 27, 2025				Reported Oct 29, 2025									
Analyses executed		CAN+		Unit Mass (g)		74.744		Num. of Servings		1		Serving Size (g)		74.74	

Analyzed Oct 28, 2025 | Instrument HPLC-VWD | Method SOP-001  
The expanded Uncertainty of the Cannabinoids analysis is approximately  $\pm 7.81\%$  at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Cannabidiarin (CBDv)	0.039	0.16	ND	ND	ND	ND
Cannabidiol (CBD)	0.011	0.03	ND	ND	ND	ND
Cannabidiol Acid (CBDA)	0.033	0.16	ND	ND	ND	ND
Cannabigerol Acid (CBGA)	0.033	0.16	ND	ND	ND	ND
Cannabigerol (CBG)	0.048	0.16	ND	ND	ND	ND
Cannabidiol (CBD)	0.069	0.229	<LOQ	<LOQ	<LOQ	<LOQ
Tetrahydrocannabinol (THC)	0.049	0.16	<LOQ	<LOQ	<LOQ	<LOQ
Cannabinol (CBN)	0.047	0.16	ND	ND	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.092	0.307	0.27	2.73	204.26	204.27
Δ8-tetrahydrocannabinol (Δ8-THC)	0.044	0.16	<LOQ	<LOQ	<LOQ	<LOQ
Cannabicyclic (CBL)	0.0012	0.16	ND	ND	ND	ND
Cannabichromene (CBC)	0.13	0.432	ND	ND	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.117	0.389	ND	ND	ND	ND
Total THC ( THCa * 0.877 + Δ9THC )			0.27	2.73	204.26	204.27
Total THC + Δ8THC ( THCa * 0.877 + Δ9THC + Δ8THC )			0.27	2.73	204.26	204.27
Total CBD ( CBDa * 0.877 + CBD )			ND	ND	ND	ND
Total CBG ( CBGa * 0.877 + CBG )			ND	ND	ND	ND
Total Cannabinoids Analyzed			0.27	2.73	204.26	204.27

UI Unidentified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



DEA license: **RP0611043**  
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Stahl

Brandon Starr, Quality Assurance Manager  
Wed, 29 Oct 2025 09:29:57 -0700

PharmLabs San Diego | 3421 Hancock St. Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368

[illegible]