



Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com

## Hemp Doctor - Downshift Gummies

Sample ID: 2602AFL0214.0776  
Strain: Hemp  
Matrix: Ingestible  
Type: Soft Chew  
Unit Weight: 4.2401 g

Internal Lab ID: ATL-34729  
Received: 02/20/2026  
Completed: 02/24/2026  
Batch#: 19A26003

Client  
**Cielo Manufacturing**  
Lic. #  
123 North Orchard Street Ste 4A  
Ormond Beach, FL 32174



### Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids		Complete

### Basic Potency - HPLC

Complete

0.195% Total THC					ND Total CBD					0.269% Total Cannabinoids				
Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result					
	%	%	%	mg/unit		%	%	%	mg/unit					
CBDVa	0.001	0.002	ND	ND	CBN	0.001	0.002	0.017	0.72					
CBDV	0.001	0.002	ND	ND	Δ9-THC	0.001	0.002	0.195	8.27					
CBDa	0.001	0.002	ND	ND	Δ8-THC	0.001	0.002	ND	ND					
CBGa	0.001	0.002	ND	ND	(6aR,9S)-d10-THC	0.001	0.002	ND	ND					
CBG	0.001	0.002	0.035	1.48	(6aR,9R)-d10-THC	0.001	0.002	ND	ND					
CBD	0.001	0.002	ND	ND	CBC	0.001	0.002	0.022	0.93					
THCV	0.001	0.002	ND	ND	CBCa	0.001	0.002	ND	ND					
Δ8-THCV	0.001	0.002	ND	ND	THCa	0.001	0.002	ND	ND					
THCVa	0.001	0.002	ND	ND	<b>Total</b>			<b>0.269</b>	<b>11.41</b>					

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested:

Equations: Total Active THC = 9THC + (0.877 \* THCA), Total Active CBD = CBD + (0.877 \* CBDA), Potency via HPLC

**NT**  
Not Tested  
Document ID:  
Moisture Content

**NT**  
Not Tested  
Document ID:  
Water Activity

**Not Tested**  
Document ID:  
Foreign Matter



*Lise Berthe-Laurent*  
Lise Berthe-Laurent  
Laboratory Director  
02/24/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.