New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

The Hemp Doctor-Ruger 500mg Tincture

Sample ID: 2609NBL1609.4485
Matrix: Ingestible
Type: Tincture
Sample Size:
Date Collected:

Received: 09/17/2026
Completed: 09/22/2026
Expires: 09/22/2027
External Lot ID:
Batch#: T-104-7-26-1

Client
The Hemp Doctor
Lic. #
163 McKenzie Rd Mooresville, NC 28115
morgan@thehempdoctor.com



Summary

Test	Date Tested	Result
Cannabinoids	09/22/2026	Complete

Cannabinoids

Complete

ND	ND	17.598 mg/serving	17.598 mg/serving
Total Δ9-THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/serving	mg/serving	mg/serving	mg/container	%
(6aR,9R)-d10-THC	0.0880	0.132	ND	ND	ND
9R-HHC	0.0880	0.132	ND	ND	ND
(6aR,9S)-d10-THC	0.0880	0.132	ND	ND	ND
9S-HHC	0.0880	0.132	ND	ND	ND
CBC	0.0880	0.132	ND	ND	ND
CBCa	0.0880	0.132	ND	ND	ND
CBD	0.0880	0.132	17.598	527.94064	1.895
CBDa	0.0880	0.132	ND	ND	ND
CBDV	0.0880	0.132	ND	ND	ND
CBDVa	0.0880	0.132	ND	ND	ND
CBG	0.0880	0.132	ND	ND	ND
CBGa	0.0880	0.132	ND	ND	ND
CBN	0.0880	0.132	ND	ND	ND
CBNa	0.0880	0.132	ND	ND	ND
Δ8-THC	0.0880	0.132	ND	ND	ND
Δ9-THC	0.0880	0.132	ND	ND	ND
THCa	0.0880	0.132	ND	ND	ND
THCp	0.0880	0.132	ND	ND	ND
THCV	0.0880	0.132	ND	ND	ND
THCVa	0.0880	0.132	ND	ND	ND
Total THC			**ND**	**ND**	**ND**
Total CBD			**17.598**	**527.94064**	**1.895**
Total			**17.598**	**527.94064**	**1.895**

Date Tested: 09/22/2026
Density: 1 mL = 0.938 g; Serving Mass: 0.929 g; 30 servings per container; 0.0 mg THC per container; 1 Serving = 1 mL
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.

Ashley Phillips
Laboratory Director
09/22/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.