New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416


(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

The Hemp Doctor-250MG Banana Foster

Sample ID: 2609NBL1609.4489
Matrix: Ingestible
Type: Baked Goods
Sample Size:
Date Collected:

Received: 09/17/2026
Completed: 09/24/2026
Expires: 09/24/2027
External Lot ID:
Batch#:

Client
The Hemp Doctor
Lic. #
163 McKenzie Rd Mooresville, NC 28115
morgan@thehempdoctor.com



Summary

Test	Date Tested	Result
Cannabinoids	09/23/2026	Complete
Residual Solvents	09/18/2026	Complete
Microbials	09/18/2026	Complete
Mycotoxins	09/18/2026	Complete
Pesticides	09/18/2026	Complete
Heavy Metals	09/22/2026	Complete
Foreign Matter	09/17/2026	Not Detected

Cannabinoids

Complete

29.219 mg/serving	0.274%	ND	29.219 mg/serving
Total Δ9-THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/serving	mg/serving	mg/serving	mg/container	%
(6aR,9R)-d10-THC	0.9749	1.462	ND	ND	ND
9R-HHC	0.9749	1.462	ND	ND	ND
(6aR,9S)-d10-THC	0.9749	1.462	ND	ND	ND
9S-HHC	0.9749	1.462	ND	ND	ND
CBC	0.9749	1.462	ND	ND	ND
CBCa	0.9749	1.462	ND	ND	ND
CBD	0.9749	1.462	ND	ND	ND
CBDa	0.9749	1.462	ND	ND	ND
CBDV	0.9749	1.462	ND	ND	ND
CBDVa	0.9749	1.462	ND	ND	ND
CBG	0.9749	1.462	ND	ND	ND
CBGa	0.9749	1.462	ND	ND	ND
CBN	0.9749	1.462	ND	ND	ND
CBNa	0.9749	1.462	ND	ND	ND
Δ8-THC	0.9749	1.462	ND	ND	ND
Δ9-THC	0.9749	1.462	29.219	292.19452	0.274
THCa	0.9749	1.462	ND	ND	ND
THCp	0.9749	1.462	ND	ND	ND
THCV	0.9749	1.462	ND	ND	ND
THCVa	0.9749	1.462	ND	ND	ND
Total THC			**29.219**	**292.19452**	**0.274**
Total CBD			**ND**	**ND**	**ND**
Total			**29.219**	**292.19452**	**0.274**

Date Tested: 09/23/2026
1 Container = 1 Chocolate Bar ; Serving Mass: 10.675 g; 10 servings per container; 292.2 mg THC per container; 1 Serving = 1 Piece
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.

Ashley Phillips
Laboratory Director
09/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

The Hemp Doctor-250MG Banana Foster

Sample ID: 2609NBL1609.4489
Matrix: Ingestible
Type: Baked Goods
Sample Size:
Date Collected:

Received: 09/17/2026
Completed: 09/24/2026
Expires: 09/24/2027
External Lot ID:
Batch#:

Client
The Hemp Doctor
Lic. #
163 McKenzie Rd Mooresville, NC 28115
morgan@thehempdoctor.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.095	0.027		ND	Tested	Fludioxonil	0.091	0.027		ND	Tested
Acephate	0.091	0.027		ND	Tested	Hexythiazox	0.091	0.027		ND	Tested
Acequinocyl	0.091	0.027		ND	Tested	Imazalil	0.091	0.027		ND	Tested
Acetamiprid	0.091	0.027		ND	Tested	Imidacloprid	0.091	0.027		ND	Tested
Aldicarb	0.091	0.027		ND	Tested	Kresoxim Methyl	0.091	0.027		ND	Tested
Azoxystrobin	0.091	0.027		ND	Tested	Malathion	0.091	0.027		ND	Tested
Bifenazate	0.091	0.027		ND	Tested	Metalaxyl	0.091	0.027		ND	Tested
Bifenthrin	0.091	0.027		ND	Tested	Methiocarb	0.091	0.027		ND	Tested
Boscalid	0.091	0.027		ND	Tested	Methomyl	0.091	0.027		ND	Tested
Captan	0.366	0.110		ND	Tested	Mevinphos	0.091	0.027		ND	Tested
Carbaryl	0.091	0.027		ND	Tested	Myclobutanil	0.091	0.027		ND	Tested
Carbofuran	0.091	0.027		ND	Tested	Naled	0.229	0.069		ND	Tested
Chlorantraniliprole	0.091	0.027		ND	Tested	Oxamyl	0.091	0.027		ND	Tested
Chlordane	0.073	0.022		ND	Tested	Paclobutrazol	0.091	0.027		ND	Tested
Chlorfenapyr	0.073	0.022		ND	Tested	Methyl Parathion	0.073	0.022		ND	Tested
Chlormequat	0.091	0.027		ND	Tested	Pentachloronitrobenzene	0.073	0.022		ND	Tested
Chlorpyrifos	0.091	0.027		ND	Tested	Permethrins	0.091	0.027		ND	Tested
Clofentezine	0.091	0.027		ND	Tested	Phosmet	0.091	0.027		ND	Tested
Coumaphos	0.091	0.027		ND	Tested	Piperonyl Butoxide	0.091	0.027		ND	Tested
Cyfluthrin	0.073	0.022		ND	Tested	Prallethrin	0.091	0.027		ND	Tested
Cypermethrin	0.073	0.022		ND	Tested	Propiconazole	0.091	0.027		ND	Tested
Daminozide	0.091	0.027		ND	Tested	Propoxur	0.091	0.027		ND	Tested
Diazinon	0.091	0.027		ND	Tested	Pyrethrins	0.457	0.137		ND	Tested
Dichlorvos	0.046	0.015		ND	Tested	Pyridaben	0.091	0.027		ND	Tested
Dimethoate	0.091	0.027		ND	Tested	Spinetoram	0.091	0.027		ND	Tested
Dimethomorph	0.088	0.027		ND	Tested	Spinosad	0.093	0.027		ND	Tested
Ethoprophos	0.091	0.027		ND	Tested	Spiromesifen	0.091	0.027		ND	Tested
Etofenprox	0.091	0.027		ND	Tested	Spirotetramat	0.091	0.027		ND	Tested
Etoxazole	0.091	0.027		ND	Tested	Spiroxamine	0.091	0.027		ND	Tested
Fenhexamid	0.091	0.027		ND	Tested	Tebuconazole	0.091	0.027		ND	Tested
Fenoxycarb	0.091	0.027		ND	Tested	Thiacloprid	0.091	0.027		ND	Tested
Fenpyroximate	0.091	0.027		ND	Tested	Thiamethoxam	0.091	0.027		ND	Tested
Fipronil	0.091	0.027		ND	Tested	Trifloxystrobin	0.091	0.027		ND	Tested
Flonicamid	0.091	0.027		ND	Tested						

Date Tested: 09/18/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.

Ashley Phillips
Laboratory Director
09/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

The Hemp Doctor-250MG Banana Foster

Sample ID: 2609NBL1609.4489
Matrix: Ingestible
Type: Baked Goods
Sample Size:
Date Collected:

Received: 09/17/2026
Completed: 09/24/2026
Expires: 09/24/2027
External Lot ID:
Batch#:

Client
The Hemp Doctor
Lic. #
163 McKenzie Rd Mooresville, NC 28115
morgan@thehempdoctor.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	10	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 09/18/2026
CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1.5	4.6		ND	Tested
B2	1.5	4.6		ND	Tested
G1	1.5	4.6		ND	Tested
G2	1.5	4.6		ND	Tested
Total Aflatoxins	1.5	4.6		ND	Tested
Ochratoxin A	5.5	18.3		ND	Tested

Date Tested: 09/18/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.046	0.093		ND	Tested
Cadmium	0.046	0.093		ND	Tested
Lead	0.046	0.093		ND	Tested
Mercury	0.046	0.093		ND	Tested
Palladium	0.046	0.232		ND	Tested
Selenium	0.046	0.093		ND	Tested

Date Tested: 09/22/2026
Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
09/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

The Hemp Doctor-250MG Banana Foster

Sample ID: 2609NBL1609.4489
Matrix: Ingestible
Type: Baked Goods
Sample Size:
Date Collected:

Received: 09/17/2026
Completed: 09/24/2026
Expires: 09/24/2027
External Lot ID:
Batch#:

Client
The Hemp Doctor
Lic. #
163 McKenzie Rd Mooresville, NC 28115
morgan@thehempdoctor.com

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	58.594	195.313		ND	Tested
Benzene	0.234	0.781		ND	Tested
n-Butane	53.906	179.688		ND	Tested
Isobutane	53.906	179.688		ND	Tested
Ethanol	58.594	195.313		ND	Tested
Ethyl Acetate	58.594	195.313		ND	Tested
Heptane	58.594	195.313		ND	Tested
n-Hexane	1.172	3.906		ND	Tested
2,2-Dimethylbutane	1.172	3.906		ND	Tested
3-Methylpentane	1.172	3.906		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.344	7.813		ND	Tested
Methanol	23.438	78.125		ND	Tested
Isopentane	53.906	179.688		ND	Tested
n-Pentane	23.438	78.125		ND	Tested
Neopentane	53.906	179.688		ND	Tested
2-Propanol	58.594	195.313		ND	Tested
Propane	234.375	781.250		ND	Tested
Toluene	0.117	0.391		ND	Tested
Ethylbenzene	0.117	0.391		ND	Tested
m/p-Xylene	0.117	0.391		ND	Tested
o-Xylene	0.117	0.391		ND	Tested
1,1-Dichloroethene	0.469	1.563		ND	Tested
1,2-Dichloroethane	0.469	1.563		ND	Tested
Ethylene Oxide	1.172	3.906		ND	Tested
Acetonitrile	4.688	15.625		ND	Tested
Chloroform	0.469	1.563		ND	Tested
Ethyl Ether	58.594	195.313		ND	Tested
Dichloromethane	23.438	78.125		ND	Tested
Trichloroethene	4.688	15.625		ND	Tested
2,3-Butanedione	23.438	78.125		ND	Tested

Date Tested: 09/18/2026
Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
09/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.